


TECHNICAL DATA



MARKET SECTORS

ENGINEERING
FASTENERS & FIXINGS
ELECTRICAL MRO
AGRICULTURE
TRADE/PRO-DIY

CODE	REF.	SIZE
1031943	32811	500ml Aerosol Silver
1032544	33205	900ml Tin Silver

ZG-90 RAPID DRY GALVANISE

ZG-90 is the fast and effective way to touch up galvanised structures. ZG-90 'cold galvanise' is a highly effective paint that provides a combination of rapid drying time, superior coverage, opacity, and protection against corrosion. It is an accurate colour match for newly galvanised steel and is ideal for protecting welding joints and cut ends.

KEY FEATURES

- Rapid drying time: Touch dry in 2 mins/Hard dry in 20 mins at 20°C
- Excellent colour-match for freshly hot-dip galvanised steel
- Effective protection against corrosion (tested to ASTM B117)
- Excellent substrate adhesion and flexibility
- Crossrail approval #CRL-MCR-004850
- Non-conductive
- Also available in RAL colours see separate datasheet

NEVER ASK A PROFESSIONAL TO USE ANYTHING ELSE!

APPLICATION AREAS

Fastener specialists: use to protect bolted joints on steel sections and girders. Avoid the need to re-plate a bolt or stud, spray ZG-90 on exposed bolts and threaded bar to match existing zinc plating or galvanised coating.

General fabrication: use on bare, degreased metal to provide an effective, colour-matched finish with good long-term protection.

Facility maintenance: use for repairing and maintaining fences, metal sheets, air conditioning units and ducting.

Electrical and mechanical contractors: spray ZG-90 on cut ends of Unistrut type channelling and cable conduit.

DIRECTIONS FOR USE

- Use in well ventilated area.
- Remove any rust and scale with a wire brush. Ensure that the surface to be coated is clean, dry and free from grease.
- ZG-90 contains solids which settle during storage. Aerosol: shake the can vigorously until the agitator ball is free and continue shaking for a further minute. Tin: Carefully stir the paint until solvent and solids are thoroughly mixed.
- Shake/stir periodically during application.
- Apply in light, even coats, from 15-20cm away
 best results are obtained with 2-3 light coats rather than one heavy coat.
- Additional coats can be applied after 15 20 minutes.
- When finished: clear the aerosol valve by briefly spraying the can upside down. When using the tin, firmly reseal it. Clean brushes with White Spirit.
- Do not use on the inside of water storage tanks.
- · Remove prior to welding.

Action Can, Wylds Road, Bridgwater, Somerset, TA6 4DD Phone: +44 (0)1278 727200 Email: sales.uk@crcind.com

ACTIONCAN.COM

Registered in England & Wales: 4910479



APPEARANCE:	Silver/zinc colour matched to newly galvanised metal (approximately RAL 6005)
ODOUR:	Solvent
MAX. TEMP. RESISTANCE OF CURED FILM:	150 °C
COATING THICKNESS (I-PASS, AEROSOL):	30µm
COVERAGE (@ 30µM, I COAT)	1.6m ²
TOUCH-DRY	2 mins @ 20°c
HARD-DRY	20 mins @ 20°c
BINDING AGENT	Modified alkyd resin

(All values apply to product without aerosol propellant)

HEALTH AND SAFETY

A separate Safety Data Sheet (SDS) is available from: actioncan.com/product/zg-90/ or from info.uk@crcind.com

STORAGE & SHELF LIFE

The aerosol product may be stored at normal ambient temperatures and has a shelf life of not less than 4 years with correct storage. Aerosols should always be stored below 50°C, away from direct heat and naked flame.

The tin/bulk version may be stored at normal ambient temperatures and has a shelf life of not less than 4 years with correct storage. It should always be stored below 50°C, away from direct heat and naked flame.

MISREPRESENTATION ACT 1967 & TRADE DESCRIPTIONS ACT 1968

The information given in this publication is based on our experience and reports from customers. There are many factors outside our control and knowledge which affect the use and performance of our products and for which reason no warranty is given, express or implied. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purposes. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is to be assumed.

TECHNICAL SERVICE

CRC Industries UK Ltd provides a technical support service and maintains a constant programme of research and development. Should you have a technically complex enquiry, please email us for specialist/laboratory support.



Action Can, Wylds Road, Bridgwater, Somerset, TA6 4DD

Registered in England & Wales: 4910479

Phone: +44 (0)1278 727200 Email: sales.uk@crcind.com



Version Number: 7.2 Date of Issue: 16/01/2019 Date of Update: 04/10/2023